

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

INDEX VOLUME I.

A

	Page.		Page.
A list of the Coccidae of Porto Rico. (Paper)-----	1-16	<i>Aphedinus diaspidis</i> -----	11
Abnormalities of cane-----	234	<i>Apium graveolens</i> . Diseases of-----	98
<i>Aclerda tokionis</i> -----	8	<i>Apogonia destructor</i> , injurious to sug- ar cane in Java-----	50
<i>Acrostalagmus albus</i> -----	101	<i>Arachis hypogea</i> . Diseases of-----	108
<i>Adoretus</i> -----		<i>Arcyria</i> -----	
<i>compressus</i> -----		<i>cinerea</i> -----	211
host of <i>Prosema siberita</i> in Java-----	59	<i>denudata</i> -----	211
injuring cane in Java-----	50	<i>Arrhenophagus chionaspis</i> -----	2
spp., destructive in Hawaii, Ja- pan, and East Africa-----	50	<i>Arthrimum saccharicola</i> -----	223
<i>Albugo ipomeae-panduranae</i> -----	111	<i>Arthrobotrys superba</i> -----	222
<i>Allium cepa</i> . Diseases of-----	107	Asilid fly-----	
<i>Allorhina mutabilis</i> , damaging fruit in irrigated Southwest-----	50	See <i>Promachus</i> .	
<i>Ameiva exul</i> , lizard, probably preda- cious on white-grubs-----	53	<i>Asparagus</i> -----	
<i>Andropogon bicornis</i> -----	187	See <i>Asparagus officinalis</i> .	
Ani-----		<i>Asparagus officinalis</i> . Diseases of--	94
See <i>Crotophaga ani</i> .		<i>Aspergillus</i> -----	
<i>Anisoplia austriaca</i> -----		<i>flavus</i> -----	222
damaging crops in Russia-----	50	<i>niger</i> -----	222
host of <i>Microphthalma disjuncta</i> -----	59	<i>Aspidiotiphagus citrinus</i> -----	1, 2, 9
<i>Anolis</i> spp-----		<i>Aspidiotus</i> -----	
lizards, possibly predacious on may-beetles-----	53	<i>cyanophylli</i> -----	11
<i>Anomala</i> spp. destructive in Hawaii, Japan, and East Africa-----	50	<i>destructor</i> -----	1, 11
Ant, tending mealy-bug-----	5	<i>destructor</i> , parasite of-----	11
Ant, tending scale-----	5	<i>ficus</i> -----	12
Anthraxnose of bean. See <i>Colletotrichum lindemuthia-</i> <i>num</i> .		<i>forlesi</i> -----	11
Anthraxnose of cucumber-----	102	<i>lataniae</i> -----	12
Anthraxnose of eggplant-----	103	<i>sacchari</i> -----	1, 12
Anthraxnose of pepper-----	109	<i>Asterolecanium</i> -----	
Anthraxnose of tomato-----	114	<i>aureum</i> -----	4
		<i>bambusae</i> -----	4
		<i>lanceolatum</i> -----	4
		<i>pustulans</i> -----	4
		<i>Asterostroma</i> -----	
		<i>albido-carneum</i> -----	215
		<i>cervicolor</i> -----	215
		<i>Aulacaspia pentagona</i> -----	9

B

<i>Bacillus solanacearum</i> -----	105, 115	Beet-----	
Bacterial disease-----		See <i>Beta vulgaris</i> .	
See <i>Micrococcus nigrofaciens</i> .		<i>Beta vulgaris</i> . Diseases of-----	98
<i>Bacterium campestris</i> -----	115	<i>Biomyia lacnosternae</i> , Tachinid para- site of Phyllophaga in the United States-----	59
<i>Bacterium phaseoli</i> -----	98	Birds that prey upon white-grubs and may-beetles-----	53-54
Bare-legged owl-----		Blackbird, Porto Rican-----	
See <i>Gymnasio nudipes nudipes</i> .		See <i>Holoquiscalus brachypterus</i> .	
<i>Bastisporum gallarum</i> -----	224		
Bean-----			
See <i>Phaseolus</i> spp.			

B

	Page.
Black-spot—	
See <i>Phoma destructiva</i> .	
Blight of beans—	
See <i>Bacterium phaseoli</i> .	
Blossom end rot of	
tomato-----	113
watermelon-----	116
Bombyliid fly—	
See <i>Sparnopolius fulvus</i> .	
<i>Botrytis</i> <i>sp</i> -----	227

	Page.
<i>Botrytis tenella</i> , fungus disease of	
Melolontha in Europe-----	60
<i>Brassica</i> —	
<i>campestris</i> . Diseases of-----	115
<i>oleracea</i> . Diseases of-----	98
<i>Rapa</i> . Diseases of-----	115
<i>spp.</i> Diseases of-----	107
Brown leaf spot—	
See <i>Cercospora longipes</i> .	

C

Cabbage—	
See <i>Brassica oleracea</i> .	
<i>Cajanus indicus</i> . Diseases of-----	105
<i>Campomeris</i> —	
<i>dorsata</i> —	
apparent hyperparasitization of--	55
occurrence in Porto Rico-----	55
parasite of <i>Ligyris</i> in Porto	
Rico-----	56
parasite of <i>Ligyris tumulosus</i>	
in Barbados-----	86
possible parasite of <i>Phyllophaga</i>	
<i>vandinei</i> -----	86
<i>pygura</i> —	
in Mona Island and Santo Do-	
mingo-----	56
occurrence in Porto Rico-----	55
<i>trifasciata</i> —	
occurrence of, in Porto Rico--	55
<i>Capnodium</i> <i>sp</i> -----	227
<i>Capsicum annuum</i> . Diseases of-----	108
<i>Carica papaya</i> , host plant of <i>Colleto-</i>	
<i>trichum falcatum</i> -----	193
Cassava—	
See <i>Manihot utilissima</i> .	
Cecidomyiid, in colonies of mealy-	
bug-----	6
Celery—	
See <i>Apium graveolens</i> .	
<i>Cephalosporium lecanii</i> -----	5, 7, 8
<i>Cercospora</i> —	
<i>beticola</i> -----	98
<i>Bloxami</i> -----	107, 115
<i>Cajani</i> -----	105
<i>canescens</i> -----	97
<i>capsici</i> -----	100
<i>citridina</i> -----	116
<i>cruenta</i> -----	97, 101
<i>eucurbitae</i> -----	106
<i>henningsii</i> -----	99
<i>hibisci</i> -----	107
<i>lactucae</i> -----	105
<i>longipes</i> -----	204
<i>personata</i> -----	108
<i>sp</i> -----	99
<i>rignae</i> -----	100
<i>Cercosporium</i> (?) <i>beticolum</i> -----	98

<i>Ceroplastes</i> —	
<i>ceriferus</i> -----	6
<i>cirripediformis</i> -----	6
<i>floridensis</i> -----	6
<i>Chaetococcus bambusae</i> -----	6
<i>Chayote</i> —	
See <i>Sechium edule</i> .	
<i>Chionaspis citri</i> , parasite of-----	9
<i>Cladosporium</i> —	
<i>fulvum</i> -----	112
<i>herbarum</i> -----	224
<i>Chlorosis</i> —	
of muskmellon-----	106
of sugarcane-----	228
<i>Chromocrea gelatinosa</i> -----	212
<i>Chromocreopsis striispora</i> -----	213
<i>Chrysomphalus</i> —	
<i>aonidium</i> -----	2, 12
<i>aurantii</i> -----	13
<i>biformis</i> -----	13
<i>dictyospermi</i> -----	13
<i>ficus</i> -----	12
<i>personatus</i> -----	13
<i>Citrullus vulgaris</i> . Diseases of-----	116
<i>Cladosporium herbarum</i> -----	109
Coccidae of Porto Rico, list of (pa-	
per)-----	1-16
<i>Coccidoxenus portoricensis</i> -----	1, 2
<i>Coccinae</i> -----	6
<i>Coccus</i> —	
<i>hesperidum</i> -----	7
<i>mangiferae</i> -----	7
<i>Cocyzus minor nesiotae</i> , bird enemy	
of white grubs in Porto Rico--	54
Cockchafer—	
See <i>Melolontha melolontha</i> .	
<i>Coleosporium ipomoeae</i> -----	112
<i>Colletotrichum</i> —	
<i>A</i> -----	206
<i>B</i> -----	207
<i>C</i> -----	207
<i>Colletotrichum</i> —	
<i>falcatum</i> -----	190
description-----	191
in Porto Rico-----	192
occurrence-----	191
<i>lugenarium</i> -----	102, 106

C

	Page.
<i>Colletotrichum</i> —continued.	
<i>lindemuthianum</i>	24-96
<i>nigrum</i>	109
<i>phovoides</i>	114
<i>Colocasia</i> sp. Diseases of	116
<i>Conchaspinae</i>	4
<i>Conchaspis angraei</i>	4
<i>Coniothyrium melasporum</i> Syn.	
<i>Melanconium sacchari</i>	23
<i>Coriolopsis accidentalis</i>	217
Corn—	
See <i>Zea mays</i>	
<i>Corticium</i> sp.	227
<i>Corythaica monacha</i> —	
control	173
description of stages	171
distribution	170
food plants	170
injury caused by	170
life history	170
natural enemies	173
Cotton, R. T. (Paper), Life History of <i>Haltica jamaicensis</i> ..	173
Cotton, R. T. (Paper), Scale feeding Habits of of P. R. Millipede	175
Cotton, R. T. (Paper), The Egg-plant Lace-Bug in Porto Rico	170
Cowgill, H. B. (Paper), A Method of Identification and Description of Sugar-cane Varieties ..	119
Cow-pea—	
See <i>Vigna unguiculata</i> .	

	Page.
<i>Creterium aureum</i>	211
<i>leucocephalum</i>	211
<i>Crepitodus</i> sp.	227
<i>Crotophaga ani</i> , possible bird enemy of white-grubs in Porto Rico ..	54
<i>Crown rot</i>	97
<i>Cryptomeigenia</i> —	
<i>aurifacies</i> —	
attempt to introduce, into Guá-nica district	87
control of white-grubs by	56-57
parasite of adult of <i>Phyllophaga randinei</i>	86-87
parasitizing <i>Phyllophaga portoricensis</i>	151
possible manner of oviposition of	82
<i>theutis</i> , parasite of <i>Phyllophaga</i> in United States	59
Cuckoo, mangrove—	
See <i>Coccyzus minor nesiotus</i> .	
Cucubano—	
See <i>Pyrophorus luminosus</i> .	
Cucumber—	
See <i>Cucumis sativus</i> .	
<i>Cucumis</i> —	
<i>melo</i>	106
<i>sativus</i> , Diseases of	101
<i>Cucurbita moschata</i> . Diseases of ..	111
<i>Cyathus Poeppigii</i>	219
<i>Cyclonada sanguinea</i> , predaceous on <i>Corythaica monacha</i>	173
<i>Cytospora sacchari</i> —	
Associated with rind disease ..	31, 196

D

<i>Dactylopiinae</i>	4
<i>Dactylopius citri</i>	5
<i>sacchari</i>	5
Damping off	115
<i>Darlucella Melaspora</i> Syn.	
<i>Melanconium sacchari</i>	22, 24
<i>Dasyscypha</i> sp.	227
Dexiidae, attacking <i>Phyllophaga</i> larvae in United States	59
<i>Diaspinae</i>	9
<i>Diaspis</i> —	
<i>calyptroides</i> var. <i>opuntiae</i>	9
<i>echinocacti</i>	9
<i>Diatraea saccharalis</i>	
Relation to top-rot	198
<i>Dietydium cancellatum</i>	211
<i>Diplodia</i> —	
<i>cacaicicola</i> —	
Associated with rind disease ..	31, 220
sp.	104, 116
Diptera—	
See <i>Dexiidae</i> ; <i>Sarcophagidae</i> ; <i>Tachinidae</i> .	

Dipterous parasite, probable, of <i>Campsomeris dorsata</i>	55
Diseases of—	
sugar-cane cuttings	208
sugar-cane leaves	199
sugar-cane stalks	190
vegetable and garden crops (paper)	93-117
Downy mildew of beans	96
Downy mildew of cucumbers	101
Drouth, causing injury to cane ..	234
<i>Dynastini</i> —	
mentioned as injuring cane ..	47
See <i>Ligyris</i> ; <i>Dyscinetus</i> .	
<i>Dyscinetus</i> —	
<i>bidentatus</i> —	
enemy of cane in British Guiana	51
host of <i>Tiphia parallela</i> in Demerara	58
spp., possible host of <i>Campsomeris dorsata</i> in Porto Rico	56

E

	Page.
Eggplant—	
affected by lace-bug-----	170
lace-bug in Porto Rico (paper)---	170
See <i>Solanum melongena</i> .	
El Mal-----	116
Elateridae—	
See <i>Monocrepidius</i> ; <i>Pyrophorus</i> .	
Elis—	
5-cinta—	
cocoon sent to Hawaii from	
United States-----	58
parasite of <i>Phyllophaga</i> in the	
United States-----	58
<i>sexcincta</i> —	
occurrence in Porto Rico-----	55
on Mona Island-----	56
<i>xanthonotus</i> —	
occurrence in Porto Rico-----	58
possible parasite of <i>Phyllophaga</i>	
<i>portoricensis</i> -----	151
spp., possible parasites of <i>Phyllo-</i>	
<i>haga</i> larvae in Porto Rico---	56
<i>Empusa fresnii</i> -----	5

	Page.
<i>Entomophthora anisopliae</i> —	
See <i>Metarrhizium</i> .	
<i>Eriochloa sulglabra</i> , host plant----	213
<i>Erysiphe</i> —	
<i>polygoni</i> -----	97, 101, 107
<i>Fstheria tibialis</i> —	
See <i>Ptilodexia</i> .	
<i>Eurotium argentinum</i> -----	212
<i>Eutrixia exilis</i> , Tachinid parasite of	
<i>Phyllophaga</i> in the United	
States-----	59
<i>Eutrixoides jonesii</i> —	
control of white-grubs by-----	56-57
occurrence of, in Porto Rico----	55
parasite of adult of <i>Phyllophaga</i>	
<i>vandinei</i> -----	86-87
probable parasite of <i>Phyllophaga</i>	
<i>vandinei</i> -----	87
confinement of, to humid sections	
of Island-----	56-57
Eye-Spot of the Leaf—	
See <i>Helminthosporium sacchari</i> .	

F

Flea-beetle.	
Floods, causing injury to cane-----	233
<i>Florida caerulea caerulescens</i> , bird	
enemy in Porto Rico-----	54
<i>Fuligo</i> —	
<i>ovata</i> . Syn.	
<i>Fuligo septica</i> -----	211
<i>septica</i> -----	211
Fungi—	
and diseases of sugar cane in	
Porto Rico (paper)-----	177

Fungi—continued.	
attacking <i>Lepidosaphes beekii</i> ----	14
beneficial in scale control-----	1
Fungus—	
attacking scale-----	7, 8
Green Muscardine—	
See <i>Metarrhizium anisopliae</i> .	
on mealy-bug-----	5
See <i>Botrytis</i> ; <i>Isaria</i> ; <i>Metarrhi-</i>	
<i>zium</i> .	
<i>Fusarium sp</i> -----	97, 105, 109, 113, 227

G

<i>Galleruca</i> —	
<i>bassiae</i> -----	173
<i>jamaicensis</i> -----	173
<i>plebeja</i> -----	173
Gandul—	
See <i>Cajanus indicus</i> .	
Garza azul—	
See <i>Florida caerulea caerulescens</i> .	
<i>Gibberella pulicaris</i> -----	213
<i>Gloeosporium</i> —	
<i>manihot</i> -----	99
<i>melongenae</i> -----	103
<i>piperatum</i> -----	109
<i>sp.</i> -----	116
<i>Gnomonia iliau</i> . Association with	
rind disease-----	31, 42

Granular leaf-sheath fungus—	
See <i>Odontia saccharicola</i> .	
<i>Graphium sacchari</i> -----	226
<i>Graptodera tarsata</i> -----	173
Gray leaf-spot—	
See <i>Isariopsis griseola</i> .	
<i>Guepinia palmiceps</i> -----	215
<i>spathulata</i> -----	215
Gumming disease-----	182
<i>Gymnasio nudipes nudipes</i> , bird en-	
emy of white-grubs in Porto	
Rico-----	54
<i>Gynerium sagittatum</i> , host of <i>Monilia</i>	
<i>sitophila</i> -----	222

H

	Page.
<i>Haltica jamaicensis</i> —	
distribution	173
food plants	173
life history	173
immature stages	174
Hedgehog, European, attempt to introduce into Porto Rico	53
<i>Helminthosporium sacchari</i>	202
<i>Hemichionaspis aspidistrae</i>	10
<i>Hemichionaspis minor</i>	8, 10, 11
Heron, little blue—	
See <i>Florida caerulea caerulescens</i> .	
<i>Heterodera</i> —	
<i>radicicola</i>	98, 104, 110, 114

	Page.
<i>Heterodera</i> —continued.	
Attackink sugar cane	190
<i>Hibiscus</i> —	
<i>esculentus</i>	107
<i>sabdariffa</i>	111
<i>Himantia stellifera</i>	187
<i>Holoquiscalus brachypterus</i> , black-bird, enemy of white-grubs	54
<i>Holotrichia helleri</i> , injurious to sugar cane in Java	50
<i>Horniaetella sacchari</i>	224
<i>Howardi biclaris</i>	9
<i>Hydnum sacchari</i>	216
<i>Hypocrea rufa</i>	213

I

<i>Icerya montserratensis</i>	3
<i>Ichneumonidae</i> —	
See <i>Ophion bifoveolatum</i> .	
<i>Inglistia vitrea</i>	7
Injuries to cane due to natural agencies	233
<i>Ipomoea batatas</i> . Diseases of	111

<i>Isaria</i> —	
<i>densa</i> —	
See <i>Botrytis tenella</i> .	
<i>destructor</i> —	
See <i>Metarrhizium anisopliae</i> .	
<i>Isariopsis griseola</i>	97
<i>Ischnaspis longirostris</i>	14

J

Johnston, John R. (paper), History and Cause of the Rind Disease	17-45
Johnston, John R. (paper), Sugar-cane fungi and diseases of Porto Rico	177

Jones, T. H. (paper), A List of the Coccidae of Porto Rico	1-16
Juda bird—	
See <i>Crotophaga ani</i> .	

K

<i>Karschomyia coccii</i>	6
---------------------------------	---

L

Lace-bug, affecting eggplant	170
<i>Lachnea cubensis</i>	215
<i>Lachnosterna</i> —	
See <i>Phyllophaga</i> .	
<i>Lactuca sativa</i> . Diseases of	105
<i>Lagenaria leucantha</i>	103
<i>Lasiodiplodia theobromae</i>	221
<i>Lasiosphaeria sp</i>	227
Leaf Mold—	
See <i>Cladosporium fulvum</i> .	
Leaf spots of beans	97
<i>Lecanium</i> —	
<i>hemisphaericum</i>	7
<i>nigrum</i>	8
var. <i>depressum</i>	8
<i>Lentinus crinitus</i>	218
<i>Lepidiotia</i> —	
<i>albohirta</i> , injurious to cane in Australia	50
<i>stigma</i> , injurious to cane in Java	50

<i>Lepidosaphes</i> —	
<i>beckii</i>	1, 2, 13, 14
preyed upon by millipedes	175
<i>lasianthi</i>	14
<i>Leptosphaeria sacchari</i>	203
Lettuce—	
See <i>Lactuca sativa</i> .	
<i>Leucaspis indica</i>	11
<i>Leucopholis vorida</i> , injurious to sugar cane in Java	50
Life History of <i>Haltica jamaicensis</i>	173
Lightning injury	233
<i>Ligyris</i> —	
<i>ebenus</i> , injurious in British Guiana	51
<i>rugiceps</i> , pest of cane in Louisiana	50
<i>tumulosus</i> —	
host of <i>Campsomeris dorsata</i> in Porto Rico	56

L

	Page.
<i>Ligyrrus</i> —continued.	
<i>tumulosus</i> —continued.	
parasitized by <i>Campsomeris dorsata</i> in Barbados.....	86
Little blue heron—	
See <i>Florida caerulea caerulescens</i> .	
Lizards—	
as destroyers of white-grubs in Porto Rico.....	53
See <i>Ameiva exul</i>	

	Page.
Lizards—continued.	
See <i>Anolis spp.</i>	
<i>Lophodermium sp.</i>	227
<i>Lycogala epidendrum</i>	212
<i>Lycopodon</i> —	
<i>album</i>	219
<i>pusillum</i>	219
<i>pyriforme</i>	219
<i>Lycopersicum esculentum</i> . Diseases of.....	112

M

<i>Macrosporium sp.</i>	109
Mangrove cuckoo—	
See <i>Coccyzus minor nesiotis</i> .	
<i>Manihot utilisima</i> . Diseases of....	99
<i>Marasmius</i> —	
<i>borinquensis</i>	218
<i>hiorami</i>	218
<i>sacchari</i> —	
description.....	186
host plants.....	185
injury.....	184
loss.....	184
occurrence in other countries..	185
<i>sp.</i>	227
<i>synodicus</i>	218
Marimbo—	
See <i>Lagenaria leucantha</i> .	
<i>Marsonia sp.</i>	227
May-beetles—	
See Melolonthids.	
Mealy-bug.....	5, 6
<i>Megalonectria pseudotrichia</i>	105
<i>Megaprosopis michiganensis</i> —	
See <i>Michophthalma disjuncta</i> .	
<i>Megilla innotata</i> , predaceous on <i>Corythaica monacha</i>	173
<i>Melanconium sacchari</i> —	
allied fungi.....	42
associated fungi.....	30-32
bibliography.....	43-45
cause of the rind disease.....	37-39
description.....	195
external appearance.....	18
geographical distribution.....	32-35
history and identify of the rind fungus.....	21-26
investigations in Cuba.....	21
investigations in Porto Rico.....	18
investigations in Santo Domingo.....	20
investigations in the United States.....	21
life history of the fungus.....	26-30
loss due to the rind fungus.....	40
natural infection of stalk, leaves, and cuttings.....	39-40
occurrence.....	194

<i>Melanconium sacchari</i> —continued.	
parasitism of the fungus.....	35-37
summary.....	42
treatment of the disease.....	40
<i>Merulius byssoideus</i>	217
Associated with rind disease..	31, 42
<i>Meliola</i> —	
<i>clavulata</i>	112
<i>Ipomoeae</i>	112
<i>Melolontha</i> —	
<i>melolontha</i> —	
damage to crops in Europe by larvae controlled by <i>Botrytis tenella</i>	60
length of life-cycle of, in Europe.....	52
<i>Melolonthids</i> —	
characters in the genitalia of... Porto Rico.....	66-68
introduction of parasites of into Porto Rico.....	57-58
key to Porto Rican.....	63
life-cycles of species attacking sugar cane.....	68, 141
North American parasites of... species of Porto Rican.....	58-59
Tachinid parasites of Porto Rico.....	65-68
Rico.....	56-57
<i>Melolonthini</i> —	
See Melolonthids.	
<i>Merulius byssoideus</i>	217
<i>Metarrhizium anisopliae</i> —	
attack on white-grubs in conjunction with <i>bacterium</i>	141
behavior on May-beetle grubs in Porto Rico.....	141
infection of <i>P. guanicana</i> by... infection of <i>P. portoricensis</i> by... infection of <i>P. vandinei</i> by... infection of <i>Phyllophaga citri</i> by.....	159
infection of <i>Phytalus insularis</i> by.....	152
infecting <i>Phyllophaga vandinei</i>	141
introduction of, into Porto Rico from Hawaii.....	162
liberations of spores in Porto Rico.....	167
Rico.....	141
Rico.....	60
Rico.....	60

M

	Page.		Page.
Method of identification and description of sugar-cane varieties and its application to types grown in Porto Rico. (Paper)-----	119	<i>Monocrepidius</i> sp.—	
Mice, as enemies of white-grubs in Porto Rico-----	53	attacking eggs of <i>Phyllophagus vandinei</i> -----	87
<i>Micrococcus nigrofaciens</i> —		larvae feeding on May-beetle eggs-----	87
artificial control of white-grubs by-----	143	<i>Monophletinae</i> -----	3
infection of grubs of <i>Phyllophaga vandinei</i> by-----	143	<i>Mosambique</i> —	
mortality of grubs by, rate of-----	143	See <i>Holoquistus brachypterus</i> .	
<i>Microphthalma</i> —		Mottling—	
<i>disjuncta</i> —		causes-----	231
parasitizing May-beetles in United States-----	59	comparison with other cane diseases-----	231
reference to, as parasite of <i>Anisoplia</i> in Russia-----	59	control-----	232
<i>puinosa</i> , parasite of <i>Phyllophaga</i> in United States-----	59	losses-----	229
Millipede feeding, on <i>Lepidosaphes beekii</i> -----	175	name of the disease-----	229
Mites—		symptoms-----	229
See <i>Tyroglyphus</i> sp.		varieties attacked-----	231
<i>Machlosma lacutosa</i> , Dexitid fly parasite of white-grubs in northern Mexico-----	59	Mucaro—	
<i>Monilia sitophila</i> -----	222	See <i>Gymnasio nudipes nudipes</i> .	
		Muscardine Fungus, Green—	
		See <i>Metarrhizium anisopliae</i> .	
		Musk-melon—	
		See <i>Cucumis melo</i> .	
		Mustard—	
		See <i>Brassica</i> .	
		<i>Myriangium duriaei</i> -----	14
		<i>Myrmelachista ambigua ramulorum</i> -----	5
		<i>Myrothecium verrucaria</i> -----	226
		<i>Mytilaspis citricola</i> -----	14

N

<i>Nectria</i> —		Nematodes—continued.	
<i>flavociliata</i> -----	213	destroying eggs of <i>Phyllophaga vandinei</i> -----	87
<i>laurentiana</i> -----	213	parasitic on millipedes-----	176
sp.-----	104	<i>Nemora masuria</i> —	
Nematodes—		See <i>Eutirix exile</i> .	
attacking May-beetle eggs-----	55		

O

<i>Odontia</i> —		<i>Ophion bifoveolatum</i> , parasite of <i>Phyllophaga</i> in United States-----	58
<i>sacchari</i> -----	188	Ortalid fly—	
<i>saccharicola</i> -----	216	See <i>Pyrgota</i> .	
sp.-----	227	<i>Orthiziinae</i> -----	3
Okra—		<i>Orthzia insignis</i> -----	3
See <i>Hibiscus esculentus</i> .		Owl, bare-legged—	
Onion—		See <i>Gymnasio nudipes nudipes</i> .	
See <i>Allium cepa</i>			

P

Pájaro bobo—		<i>Pelecinus polyturator</i> , parasite of <i>Phyllophaga</i> in U. S.-----	58
See <i>Coccyzus minor nesiotis</i> .		<i>Peniophora cinerea</i> -----	216
<i>Panicum barbinode</i> , host plant.-----	213	<i>flavido-alba</i> -----	216
Pea—		sp.-----	227
See <i>Pisum sativum</i> .		Pepper—	
Peanut—		See <i>Capsicum annuum</i> .	
See <i>Arachis hypogaea</i> .			

	Page
<i>Periconia</i> —	
<i>sacchari</i>	225
<i>sp.</i>	116
<i>Peronospora</i> —	
<i>parasitica</i>	98
<i>Schleideniana</i>	107
<i>Pestalozzia guepinia</i>	109
<i>Phaseolus spp.</i> Diseases of	94
<i>Phenacoccus</i> —	
<i>gossypii</i>	4
<i>helianthi</i> var. <i>gossypii</i>	4
<i>Phoma destructiva</i>	115
<i>Phomopsis vexans</i>	103
<i>Phyllachora graminis</i>	100
<i>Phyllophaga</i> —	
<i>arcuata</i> , host of <i>Sarcophaga helicis</i> in United States	59
<i>citri</i> —	
attack of, by <i>Metarrhizium</i> fun- gus	162
characters distinguishing adult of	160
concerning size of	70
distribution and habitat of	160
food plants of	162
genital characters of	67-68
habits of adults of	162
insect parasites of	162
larval stage of	161
life-cycle of in Porto Rico	161
life-history and habits of	161
measurements of grubs of	162
possible host of <i>Elis xantho-</i> <i>notus</i>	161
seasonal occurrence of	160
summary of life-cycle of	168
<i>crenulata</i> , host of <i>Biomyia</i> in Uni- ted States	59
<i>fraterna</i> , life-cycle of, in the Uni- ted States	52
<i>fusca</i> , mention of life-cycle of, in United States	52
<i>guanicana</i> —	
abundance of, compared to <i>P.</i> <i>vandinei</i>	152
adult of, description of	154
adults of, feeding habits of	157
copulation and oviposition of	158
distribution of	153
egg stage of	155
first mention of, as <i>Lachnos-</i> <i>terna</i> "media"	152
flight and attraction to light of	157
genital characters of	67-68
indigenous to Porto Rico	65
insect and fungus enemies of	159
larval stage of	155
life-history of	154
pre-emergence of adult of	157
pupal stage of	157

	Page.
<i>Phillophaga</i> —continued.	
<i>guanicana</i> —continued.	
seasonal activity of	153
table giving characters of	68
<i>portoricensis</i> —	
adult of, description of	146
copulation and oviposition of	151
distribution and abundance of	145
egg stage of	147
first mention of, as <i>Lachnos-</i> <i>terna</i> "grande" (northern form)	145
flight and attraction to light of	150
food plants of	149
fungus infection of	152
genital characters of	65-63
indigenous to Porto Rico	65
insect parasites of	151
larval stage of	147
life-history of	146
pre-emergence of adult of	149
pupal stage of	149
relation of, to <i>P. vandinei</i>	78
table giving characters of	68
<i>tristis</i> , life-cycle of, in the United States	52
<i>vandinei</i> —	
abundance of, compared to <i>P.</i> <i>guanicana</i>	152
adult of, description of	69-70
adults of, issuing and emerg- ence of	77-78
attraction of, to light	80-81
bacterial disease, infection by	143
copulation of	81-82
cost of control of, to sugar cen- trals	69
distribution of	78
egg laying of, table showing rate of	83-84
egg stage of	72
feeding habits of adults of	78-79
first mention of, as <i>Lachnos-</i> <i>terna</i> "grande"	141
flight of adults of	80
genital characters of	65-68
indigenous to Porto Rico	65
insect parasites of	86-88
of growth of	75-76
larval stage of	72-76
life-history of	70-78
<i>Metarrhizium</i> fungus, infection of—by	141
oviposition by females of	82-86
pre-pupal stage of	76
pupal stage of	76-77
seasonal abundance of	70
<i>Phyllosticta</i> —	
<i>batatas</i>	111
<i>citrullina</i>	106

	Page.		Page.
<i>Phyllosticta</i> —continued.		<i>Polystictus</i> —	
<i>colocasicola</i> -----	116	<i>sanguineus</i> -----	217
<i>cucurbitacearum</i> -----	102	<i>sinuosus</i> -----	217
<i>hortorum</i> -----	103	Potato—	
<i>sacchari</i> -----	220	See <i>Solanum tuberosum</i> .	
<i>sechii</i> -----	99	Powdery mildew of beans—	
<i>Physalospora tucamensis</i> -----	214	See <i>Erysiphe polygoni</i> .	
<i>Physarum</i> —		<i>Promachus</i> —	
<i>cinereum</i> -----	212	<i>vertebratus</i> , predaceous enemy of	
<i>compressum</i> -----	212	<i>Phyllophaga</i> in United	
<i>nodulosom</i> -----	212	States-----	58
<i>Phytalus</i> —		<i>fitchii</i> , predaceous enemy of May-	
<i>insularis</i> —		beetle in eastern United	
appearance of adult of-----	164	States-----	58
copulation and oviposition of-----	167	Prototrypoid wasp—	
distribution and habits of-----	163	See <i>Pelecinus polyturator</i> .	
egg stage of-----	165	<i>Prosenia</i> —	
first mention of, as <i>Lachnos-</i>		<i>lacertosa</i> —	
<i>terna</i> "pequeña"-----	163	See <i>Mochlosoma</i> .	
flight and attraction to light		<i>siberita</i> , mentioned as parasite of	
of-----	166	<i>Adoretus</i> in Java-----	59
insect and fungus enemies of-----	167	<i>Pseudaonidia tessera</i> -----	12
larval stage of-----	165	<i>Pseudischnaspis bowreyi</i> -----	13
life-cycle of-----	164	<i>Pseudococcus</i> —	
measurements of early stages		<i>calceolariae</i> -----	4, 5
of-----	165	<i>citri</i> -----	5
pupal stage and pre-emergence		<i>nipae</i> -----	5
of-----	165	<i>sacchari</i> -----	5, 6
regarding life-cycle of-----	62-63	<i>Pseudomonas campestris</i> -----	93
seasonal distribution of-----	163	<i>Pseudoparlatoria ostreata</i> -----	73
summary of life-cycle of-----	169	<i>Pseudoperonospora cubensis</i> -----	101, 106
<i>smithi</i> —		<i>Ptiloderia tibialis</i> , Dexiid parasite of	
host of <i>Campsomeris dorsata</i> -----	86	<i>Phyllophaga</i> in Texas-----	59
injury from, in Barbados and		<i>Pulvinaria psidii</i> -----	6
Mauritius-----	50-51	<i>Pycnopus sanguineus</i> -----	217
parasitized by <i>Tiphia parallela</i> -----	58	<i>Pyrgota</i> —	
work on the life-history of, in		<i>undata</i> , Ortalid parasite of <i>Phyl-</i>	
Mauritius-----	52	<i>lophaga</i> in the United States-----	59
<i>spp.</i> —		<i>valida</i> , also parasitizing <i>Phyllop-</i>	
genital characters of-----	68	<i>haga</i> in United States-----	59
reported from the West Indies-----	51	<i>Pyrophorus</i> —	
tarsal characters of-----	66	<i>luminosus</i> —	
<i>Phytophthora</i> —		confinement of, to humid sec-	
<i>infestans</i> -----	115	tions of Island-----	56-57
<i>phaseoli</i> -----	96	larvae of, destroying <i>Phyllo-</i>	
Pine-apple disease—		<i>phaga</i> grubs-----	56
See <i>Thielaviopsis paradoxa</i> .		occurrence of, in Porto Rico-----	55
<i>Pinaspis buxi</i> -----	11	predaceous on <i>Phyllophaga van-</i>	
<i>Pisum sativum</i> . Diseases of-----	107	<i>dinei</i> grubs-----	86
<i>Plasmodiophora brassicae</i> -----	98	predatory enemy of <i>Phyllophaga</i>	
<i>Polydesmus sp.</i> -----	227	<i>portoricensis</i> -----	
<i>Polyporus occidentalis</i> -----	217	<i>sp.</i> , predaceous on white-grub in	
		Texas-----	59

Rats, as enemies of white-grubs in		Red rot of the leaf-sheath—	
Porto Rico-----	53	See <i>Sclerotium Rolfsii</i> .	
Red rot—		Red spot of the leaf-sheath—	
See <i>Colletotrichum falcatum</i> .		See <i>Cercospora raginatae</i> .	

R

	Page.
Red stripe of the leaf-----	205
<i>Rhinocricus arboreus</i> .	
Description of-----	175
distribution-----	175
feeding habits-----	175
parasitized by nematodes-----	176
Rind disease-----	
See <i>Melanconium sarchari</i> .	
Rind disease, History and cause of	
(paper)-----	17-45
Ring spot of the leaf-----	
See <i>Leptosphaeria sacchari</i> .	
Root disease-----	
See <i>Marasmius sacchari</i> , <i>Himantia stellifera</i> .	

	Page.
Root-knot-----	
See <i>Heterodera radicolica</i> .	
Root rot of beans-----	98
Roselle-----	
See <i>Hibiscus sabdarifa</i> .	
Rosellinia-----	
<i>paraguayensis</i> -----	214
<i>pulveracea</i> -----	214
Rust of-----	
beans-----	98
cassava-----	99
corn-----	100
peanut-----	108

S

<i>Sabal causiarum</i> , host of <i>Monilia</i>	
<i>sitophila</i> -----	222
<i>Saccharum officinarum</i> -----	
control of diseases of-----	236
fungi and diseases of-----	177
melonlonthids-----	47, 141
parts of the plant-----	119
rind disease-----	21, 194
varieties-----	119
<i>Saissetia</i> -----	
<i>hemisphaerica</i> -----	1, 7
<i>nigra</i> -----	8, 11
<i>oleae</i> -----	8
Santo Domingo, cane fungi of-----	235
<i>Sarcophaga helioides</i> , fly reared from	
<i>Phyllophaga</i> in United	
States-----	59
<i>Sarcophagidae</i> -----	
See <i>Sarcophaga helioides</i> .	
Scale feeding habits of a Porto Ri-	
Scale insects-----	
can millipede (paper)-----	175
parasite of-----	1, 2, 11
of Porto Rico-----	1-16
Scale parasite of-----	8, 9
<i>Scarabaeidae</i> -----	
See White-grubs.	
<i>Schizophyllum commune</i> -----	218
<i>Sclerotium</i> -----	
<i>Rolfii</i> -----	103, 109, 201
<i>sp.</i> -----	227
<i>Scotia atrata</i> , parasite of white-grubs	
in Porto Rico-----	55
Scoliid wasps-----	
list of species indigenous to	
Porto Rico-----	55
parasites of <i>Phyllophaga</i> in the	
United States-----	58
See <i>Campsomeris</i> ; <i>Tiphia</i> ; <i>Elis</i> .	
<i>Scytinotus distantifolius</i> -----	219
<i>Sechium edule</i> . Diseases of-----	99
<i>Selanospidus articulatus</i> -----	12

<i>Septonema sacchari</i> -----	225
<i>Septoria lycopersici</i> -----	113
<i>Sereh</i> -----	182, 232
<i>Serica assamensis</i> , attacking sugar-	
cane in India-----	50
Sesame-----	
See <i>Sesamum orientale</i> .	
<i>Sesamum orientale</i> . Disease of-----	111
Siguana-----	
See <i>Ameiva exul</i> .	
Skunks, control of white-grubs by,	
in United States-----	53
Smut-----	
See <i>Ustilago zeae</i> .	
Smyth, Eugene G. (Paper.) The	
White-Grubs Injuring Sugar	
Cane in Porto Rico. I. Life-	
Cycles of the May-Beetles or	
Melonlonthids-----	47-92, 141
<i>Solanum</i> -----	
<i>melongena</i> -----	102, 170
<i>tuberosum</i> -----	110
<i>Sparnopolius fulvus</i> , parasite of	
<i>Phyllophaga</i> in United	
States-----	58
<i>Spegazzinia ornata</i> -----	226
<i>Sphaerella sacchari</i> -----	214
<i>Sphaerobolus stellatus</i> -----	219
<i>Sphaerostilbe coccophila</i> -----	14
Splits (tomatoes)-----	115
Squash-----	
See <i>Cucurbita moschata</i> -----	
Staphylinid-----	
attacking eggs of <i>Phyllophaga</i>	
<i>vandinei</i> -----	87-88
larvae feeding on May-beetle	
eggs-----	87
Star scale-----	6
Stellate-crystal fungus-----	
See <i>Himantia stellifera</i> -----	
<i>Stemonitis</i> -----	
<i>fusca</i> -----	212

S

	Page.
<i>Stemonitis</i> —continued.	
<i>splendens</i>	212
Stevenson, John A. (Paper.) Diseases of vegetable and garden crops	93-117
Stevenson, John A. (Paper.) Sugar-cane fungi and diseases of Porto Rico	177

	Page.
<i>Stilbum</i> sp.	227
<i>Strumella sacchari</i> . Syn.	
<i>Melanconium sacchari</i>	21
Sugar cane—	
See <i>Saccharum officinarum</i> .	
Sweet Potato—	
See <i>Ipomoea batatas</i> .	

T

Tachinidae—	
attacking May-beetles in Porto Rico	55
attacking May-beetles in United States	59
attempt to introduce, into Guánica district	87
parasitic on <i>Phyllophaga vandinei</i>	86-87
possible manner of oviposition of	82
<i>Tapesia</i> sp.	227
Terms used in describing cane varieties	121
<i>Tetracoccosporis sacchari</i>	225
<i>Tetraploa aristata</i>	225
<i>Thielaviopsis</i> —	
<i>ethaceticus</i> —	
See <i>T. paradoxa</i> .	
<i>paradoxa</i> —	
associated with rind disease ..	30
description	208
occurrence in other countries ..	209
<i>Tiphia</i> —	
<i>femorata</i> , parasite of white-grubs in Europe	58

<i>Tiphia</i> —continued.	
<i>inornata</i> , parasite of <i>Phyllophaga</i> in United States	58
spp., introduction into Porto Rico from the States	57-58
Tomato—	
See <i>Lycopersicum esculentum</i> .	
Top-rot of sugar cane	198
<i>Trametes nicosae</i>	218
<i>Tremellogendron simplex</i>	216
<i>Trichoderma lignorum</i>	223
<i>Trichosphaeria sacchari</i> . Syn.	
<i>Melanconium sacchari</i>	23, 25
<i>Trogia</i> sp.	227
<i>Trullula sacchari</i> . Syn.	
<i>Melanconium sacchari</i>	25
<i>Tubercularia saccharicola</i>	226
Turnip—	
See <i>Brassica campestris</i> .	
<i>Tyroglyphus</i> sp. (?) —	
attacking all stages of May-beetles	55
predacious on eggs of <i>Phyllophaga vandinei</i>	87

U

<i>Uredo pallida</i>	100
<i>Urocystis cepulae</i>	107
<i>Uromyces</i> —	
<i>appendiculatus</i>	98
<i>arachidis</i>	108

<i>Uromyces</i> —continued.	
<i>Dolicholi</i>	105
<i>janiphae</i>	99
<i>Ustilago zeae</i>	100

V

<i>Valsa</i> sp.	227
<i>Valsaria subtropica</i>	214
Varieties of sugar-cane. Method of identification and description of (paper)	119
B-109	126
B-208	127
B-347	125
B-376	132
B-1753	130
B-1809	129

Varieties of sugar-cane—continued.	
B-3390	134
B-3405	135
B-3412	126
B-3747	133
B-3750	134
B-3859	129
B-4596	131
B-6292	130
B-6450	127
B-7169	135

V

	Page.
Varieties of sugar-cane—continued.	
B-7245_____	128
Cavengerie _____	124
Crystallina _____	124*
D-109_____	137
D-117_____	136
D-625_____	137
Otaheite _____	122
Rayada _____	123
Seeley Seedling_____	132

	Page.
Varieties of sugar-cane—continued.	
Yellow Caledonia_____	125
<i>Vermicularia graminicola</i> _____	220
<i>Verticicladium graminicolum</i> _____	226
<i>Vigna unguiculata</i> . Diseases of_____	100
<i>Vinsonia stellifera</i> _____	6
<i>Viriana</i> sp.—	
See <i>Biomyia lachnosternae</i> .	
<i>Volutina</i> sp. _____	227

W

Wasp parasite of White-grubs_____	55
See Campsomeris; Elis; Tiphia.	
Watermelon—	
See <i>Citrullus vulgaris</i> .	
White-Grub—	
citrus, the_____	159
common, the_____	145
south coast, the_____	152
White-Grubs Injuring Sugar Cane	
in Porto Rico. I. Life-Cy-	
cles of the May-Beetles or	
Melolonthids (paper)---	47-92, 141
White-grubs—	
animal and bird enemies of in	
Porto Rico_____	53-54
control problem in Porto Rico__	47-49
efficiency of parasites of in Porto	
Rico _____	56
injurious in other regions_____	49-51
insect enemies of in Porto Rico__	54-56
introduction of fungus enemies of,	
into Porto Rico_____	60
introduction of parasites of, into	
Porto Rico_____	57-58

White-grubs—continued.	
life-cycles of_____	52-53
life-history work on, done else-	
where _____	51-52
list of local parasites of_____	57
methods of rearing_____	60-65
oviposition, and handling of eggs,	
of adults of_____	63-64
parasites of, indigenous_____	54-56
pupation and emergence of adults	
of _____	64-65
Tachinid fly parasite control of,	
in Porto Rico_____	56-57
White rust of sweet potato_____	111
Wilt—	
of eggplant_____	103
of tomatoes_____	115
Wind, causing injury to cane_____	233
Wireworms—	
See <i>Monocrepidius</i> sp.	
<i>Pyrophorus luminosus</i> .	
Withertip.	
See <i>Gloeosporium manihot</i>	

X

<i>Xanthosoma</i> sp. Diseases of_____	116
--	-----

<i>Xylaria apiculata</i> _____	215
--------------------------------	-----

Y

Yautia—	
See <i>Colocasia</i> sp.	

Yellow stripe_____	228
--------------------	-----

Z

<i>Zea Mays</i> _____	100
<i>Zelus longipes</i> predaceous on <i>Cory-</i>	
<i>thaica monacha</i> _____	173

<i>Zelus rubidus</i> predacious on <i>Cory-</i>	
<i>thaica monacha</i> _____	173